



1 Din 10.1 inch Screen Car Stereo

UR90A User Manual



Please read this manual thoroughly before installation,
and keep it safely for future reference.

Contents

1. Introduction.....	4
2. Precautions.....	4
3. Product Parts	5-7
4. Product Specification.....	8
5. Installation.....	9-14
Power Connecting.....	9-10
Audio/Video Connecting.....	11
Backup Camera Connecting.....	12
Backup Camera Installing.....	12
Screen Installing.....	13-14
SIM Card Installing.....	14
6. Operation.....	15-24
Operator Gesture.....	15
Top Menu Screen.....	15-16
Bluetooth Connection.....	17
Bluetooth Settings.....	17
Hands-free Phoning.....	18
BT Music.....	19
WiFi Connection.....	19
Hotpot Connection.....	20
USB Storage Device.....	20
USB Audio Source Playback.....	21
USB Audio Video Playback.....	22
AUX.....	23
DAB.....	23
Radio.....	24

Contents

7. Zlink Application.....	25-31
iPhone.....	27-28
Wireless Apple CarPlay.....	27
Wired Apple CarPlay.....	27
Wireless iPhone Mirroring.....	28
Wired iPhone Mirroring.....	28
Android.....	29-31
Wireless Android Auto.....	29
Wired Android Auto.....	29
Wireless Android Link.....	30
Wired Android Link.....	31
8. Product Settings.....	32
9. CarSettings.....	33-35
10. Network Settings.....	35
11. EQ (Equalizer Settings).....	36
12. UI Style (User Interface Settings).....	36
13. SW Learning(Steering Wheel Control Settings).....	37
14. Other Functions.....	37
(Restart, Screen Off, Screen Saver, Car Info, May Car, Play Store)	
15. Trouble Shooting.....	38-39
16. Warranty Activate&Customer Support Contacts.....	40


Introduction

This after-market stereo is designed to bring you more functions than the original car stereo, such as larger touch screen (10.1 inches) with higher definition, adjustable view angle, quick connection with mobile phone, so you can enjoy more online programs. (Music,Movie,Navigation,DAB, Radio, Youtube ...etc)

Precautions

- Do not put this product in contact with liquids.
- If you notice any smoke, strange noise, odour or abnormal display from this product, turn off the power immediately and contact us for solution.
Using this product in such condition may destroy the system permanently.
- Do not disassemble or modify this product, as there are high-voltage components inside which may cause an electric shock.
- Do not operate this product while driving. Be sure to park it in a safe place before operating.
- Never set the volume of this product so high that you cannot hear outside traffic and emergency vehicles.
- Do not expose the LCD screen to direct sunlight when this product is not in use.
This may result in LCD screen malfunction from high temperature.
- To protect the LCD screen from damage, be sure to touch it with your finger gently.


Product Parts



Please check following part list, by referring above codes marked on the back of unit

PART LIST	PICTURE	QTY	FUNCTION OR LOCATION
10.1 Inch Screen		1	Watch carplay or rear view
Mounting Brackets		2	To hold and support the unit with the car's dashboard
Mounting Screws Set		4	To tighten the bracket with the device.
ISO Adapter		1	ISO Adapter connect to ① (See page 9 for details). If it doesn't fit your car model, use power cable below for connection or contact us for further recommendations.
Power Cables		1	Connect to ① for DIY connecting, (See page 9-10 for details)
Audio Video Adapter cables		1	Connect to ② for Audio & video input, (See page 11 for details)
Backup Camera Cables		1	Connect to ⑦ for backup camera image input (See page 12 for details)
4 Pin USB Cable		1	Connect to ⑤ for external USB storage device insert
External Microphone		1	Connect to MIC cable from the Audio Video adapter harness (See page 11 for details).
5G Antenna		1	Connect to ⑧ for 5G Antenna Input
GPS Antenna		1	Connect to ⑨ to get the car location when the device doesn't sync with your phone.

Product Parts



Please check following part list, by referring above codes marked on the back of unit

PART LIST	PICTURE	QTY	FUNCTION OR LOCATION
4G Antenna		1	Connect to ⑩ for network signal receipt
DAB Antenna		1	Connect to ⑪ for DAB signal receipt.
SIM Card Holder		1	Use it to insert the SIM card into the SIM port cable to get network.
Conversion Cable		1	Use it when the connection port needs to be converted.
Fuse		1	A backup fuse to use on ⑬
1)Backup Camera 2) RCA Transmit Cable 3) Backup Camera Power Cable		1	Install it for viewing reversing screen. (See page 12 for details).
User Manual		1	For installation and Operation Reference.
③	③		Connection port for CANBUS(Not Applicable).
④	④		Connection port for protocol box(Not include).
⑥	⑥		Connection port for 6 pin USB cable(Not Applicable).
⑫	⑫		Connection port for Radio Antenna.

Product Parts



MIC	Microphone
VOL-	Volume -
VOL+	Volume +
POWER	Short Press: Mute or Unmute Long Press: Turn off the display, touch anywhere on the screen to Turn on the display again
HOME	Touch to display top menu screen
MODE	Click to switch five modes Music-Video-FM-AUX-BT music
RES	Reset button Use a needle to click it for resetting

Product Specification



Screen Size	10.1 Inch Full Touch screen
Resolution	QLED 1280 x 800
Operating System	Android 13
CPU/Processor	8 core
CPU Frequency	1.6Ghz
RAM	2GB
ROM	32GB
Carplay/Android Auto	Support
Mirrolink/Auto Link	Support
Bluetooth	Support
DAB	Support
SIM Card	Support
FM	Support
AM	Support
Internet Accesses	USB, Hotpot, SIM

Installation

TIPS before Installation:

- Make sure to check all parts are in package as listed, use the included parts for proper installation.
- Do bench test first before installing in vehicle, this is to make sure you love all the functions.

ISO Adapter Cable Harness




1.GND	2.ILLUMI	3.B+ BATTERY	4.ACC
5.ANT CONT	6.Rear Left Speaker -	7.Front Left Speaker -	8.Front Right Speaker -
9.Rear Right Speaker -	10.Rear Left Speaker +	11. Front Left Speaker +	12.Front Right Speaker +
13.Rear Right Speaker +	14.KEY 1	15.KEY 2	16.REVERSE

Important Notes:

- Remember to connect the reversing cable 16 and KEY 1/KEY 2 cable 14 / 15 .
- Make sure the connectors between your car and this ISO adapter are compatible.
- If you are not sure if it fits your car, please send us a picture of car connector to confirm.(Email: service07@urvolax.cn)
- This adapter is compatible with car models without CANBUS.

Power Connecting



NOTE:


- Please connect the B+ wire (Yellow) and GND wire (Black) first, to ensure stable power, and keep away from interference or short circuit.

Installation

GND(Black)	Ground Wire - Connect to the negative pole of the vehicle.
B+Battery (Yellow)	Constant Supply 12V - Connect the B+Battery power to fuse box.
Acc(Red)	ACC Power Supply 12V - Connect to the ACC power to fuse box.
ANT(Blue)	Radio Antenna 12V- Connect with the car's radio wire to strengthen the signal, no need to connect if there's no such strengthen wire from car's antenna.
ILLUMI (Orange)	Illumination/Dimmer - Connect to the original car ILL lead. After being connected, the device's background light will switch to night mode(darker) once the headlights are turned on.
REVERSE (Orange/Black)	Reverse Wire - Connect to the positive pole of the reverse lamp. After being connected, the screen switches to back view once the car is in reversing.
KEY 1 (Brown)	Steering Wheel Control Connections: Connect the steering's negative wire with GND(Black) first, no need to connect if there's no such wire from the steering. ●If there's only ONE positive wire from your steering wheel, connect either KEY1 or KEY2. ●If there're TWO positive wires from the steering wheel, connect both KEY1 and KEY2 respectively.
KEY 2 (Brown/Black)	
FRONT R+ (Gray)	Speaker wiring connection: There are four pairs of speaker connections for each positive and negative.
FRONT R- (Gray/Black)	
FRONT L+ (White)	
FRONT L- (White/Black)	
REAR R+ (Purple)	
REAR R- (Purple/Black)	
REAR L+ (Green)	
REAR L- (Green/Black)	

Installation


Audio/Video Connecting



CVBS-IN-1(Yellow)	Video Input 1
CVBS-IN-2(Yellow)	Video Input 2
AUX IN L(White)	Audio Input Left
AUX L OUT(White)	Audio Output Left
AUX IN R(Red)	Audio Input Right
AUX R OUT(Red)	Audio Output Right
SUB WOOFER (Green)	SUB WOOFER Output
MIC(Black)	Microphone
AMP-CON (Blue/White Wire)	Amplifier Control Lead Wire Connect to amplifier control lead wire (AMP CONT) Available only for cars with amplifiers. If there's no amp, you do not need to connect.
SIM Card Holder (Black Wire)	SIM Card Holder You can put a SIM card into it to get internet access.

Installation

Backup Camera Connecting




RCIN	Backup camera input cable Connect to the backup camera
Two short white cables	Two short white cables are WI-FI and Bluetooth antenna. IMPORTANT - Make sure to connect with the unit, otherwise, you CANNOT sync UR90A with your phone successfully.

Backup Camera Installing

Please follow below diagram to connect the backup camera:

Please make sure 'REVERSE' cable from ISO adapter/power wiring harness is already connected to your vehicle's reverse detection cable.




About Connection:

1. After ⑦ ⑧ are connected, no need to connect ⑨.
2. If your vehicle has a reverse detection cable, no need to connect ⑩.


Installation

Screen Installing


1.Remove the LCD screen



Step 1: Pull out the buckles and Push out the screen




Step 2: Unscrew the screws and open the back cover



Step 3: Press the two raised dots and unplug the connector

Installation


2.Remove the original car radio, accessories...etc



Remove the car radio, accessories case, etc., we recommend to use the original bracket to install this unit.


If the original bracket is not compatible, please use URVOLAX packaged bracket.

3.Adjust the position of the side bracket



Adjust the position of the bracket to match the original hole, use the included screws to tighten the bracket, then install the unit into the dashboard.

4.SIM Card Installing




NOTES:

1. Please restart the device after inserting the card.
2. Please turn off 'PIN' via your phone.
3. Please make sure 4G antenna is connected.

Operation

Operator Gesture



①	Touch
②	Touch and slide
③	Touch and hold
④	Touch hold and slide


Top Menu Screen



①	Return Key-Return to the previous screen
②	Home Key-Touch to display the top menu screen
③	Display a list of recent used applications
④	Screen ON/OFF Key
⑤	Time Display
⑥	Radio
⑦	Tap to enter WiFi connection

Operation

⑧ Touch to display the hidden applications



⑨ Slide down to display 8 icons for quick setting


Slide down again to quick adjust brightness and voice



⑩ Move or Delete the Applications


Touch and Slide to Move the application

Touch and Hold to Delete it



Operation


Bluetooth Connection



	Start searching available devices for bluetooth connection.
	Display available bluetooth devices.
	Select the Bluetooth device name in the 'search list' , and enter PIN Code '0000' for pairing. Once successfully paired, the device will display in the 'paired list'.
	Touch to delete connected device.

Tips: You can also use your phone to search this device bluetooth 'NewCarBT', then enter the PIN Code '0000' for pairing.

Bluetooth Settings



Set Device name	You can change the device name of this machine. Click NewCarBT and enter a different name.
Set PIN	You can modify the Bluetooth pairing password. The default code is '0000', click to enter a new 4 digit password.
Auto Connect	Turn ON - Connect with last bluetooth device automatically. (Default ON)
Auto Answer	Turn ON - Answer the incoming calls automatically without touching. (Default OFF)

Operation


Hands-free Phoning

To use this function, you need to:

- Never set the volume of this product so high that you cannot hear outside traffic and emergency vehicles.
- Turn OFF 'Background Connection' from Zlink(Page 25), otherwise,you can only make a call from Carplay (Zlink).

Caution:

For safety, kindly do not make a call during driving.



	Make a phone call from the phone book.
	Using call history Make a phone call from the received call  dialed call  or missed call 
	Select and delete contact information.
	Search for a contact from the phone book.
	Synchronize the phone book from your phone to this machine manually. Tips: Make sure you have turned on 'Sync Contacts' on your phone Bluetooth settings.
	Direct phone number input Touch the number keys to enter the phone number then touch  to make a call.
	Make or Answer the Call.
	End or Reject the Call.

Operation


BT Music

To use this function, you need to:

- Connect your phone with this product via bluetooth. (Page 17)
- Turn OFF 'Background Connection' from Zlink(Page 25), otherwise,you can only play music from Carplay (Zlink).




Tips: You can also touch **MODE** to switch to BT music mode.



	Skip files backwards
	Switch between Play and Pause
	Skip files forwards

WiFi Connection




- 1.Touch 'Network& internet'
- 2.Touch 'Wi-Fi',select the available WiFi routes or phone hotspot and enter password to join it

Operation

USB Audio Source Playback



Tips: You can also touch **MODE** to switch to music mode.




	Play audio files in order, loop or random order
	EQ settings(page 36)
	Update recognizable files from the external storage device
	Change the playback point by dragging the key
	View music files
	Skip files backwards
	Switch between play and pause
	Skip files Forwards
	Select a file from the list

Operation

USB Audio Video Playback



Tips: You can also touch **MODE** to switch to video mode.




①	Drag and select a stored video file on the list to playback
②	Update recognizable files from the external storage device
③	Go to the video storage folder



	EQ settings(page 36)
	Change the playback point by dragging the key
	Select a file from the list
	Skip files backwards
	Switch between play and pause
	Skip files Forwards
	Full screen and not full screen

Operation

AUX




Tips: You can also touch **MODE** to switch to AUX mode.



When AUX input/output is connected, you can operate or playback the stored files from external devices.


DAB



	Return to previous screen
	Automatic search the nearest station from the current frequency
	Add to Favorite

Operation

Radio




Tips: You can also touch **MODE** to switch to Radio mode.



①	Turn on/off ST mode
②	Select DX(Distance) or LOC(Local) mode
③	Manually tuning the radio frequency
④	EQ settings(page 36)
⑤	1)Select to play one of the stored channel 2)Hold one of the keys: Stores the current channel to the key
⑥	Slide the bar for tuning the radio frequency
⑦	Select the FM1, FM2, FM3, AM1 or AM2 band
⑧	Select the stored channel leftward
⑨	Automatic search for the nearest station from the current frequency
⑩	Select the stored channel rightward
⑪	Manually input a radio frequency

Zlink Application



	Return to the previous screen
	One touch to switch between carplay/android auto and mirroring/android link mode
	One touch to switch between Wireless or Wired Mirroring/Android Link mode.
	Touching for wireless iPhone mirroring mode
	Touching for wireless Android Link mode
	Zlink settings



Driver Position	Select a left-hand 'L' drive vehicle Select a right-hand 'R' drive vehicle
Floating Navigation	Display the 'Zlink' floating navigation or not
Background Connection	Turn on: Automatic connect CarPlay/ Android Auto once the Bluetooth get connected Turn off: NOT automatically connect CarPlay/Android Auto

Zlink Application

Default Connection Type	Linking Mode First: Watch menu display fromUR90A screen only. Mirroring Mode First: Synch with mobile phone screen, so you can watch display either from phone or UR90A. Last Mode: Use the last saved display mode(DEFAULTT).
Check for Update	Check if there is an Update or not
About	About Zlink
Device Information	Zlink version and other information

Linking Mode(Apple CarPlay/Android Auto)



Mirroring Mode(iPhone Mirroring/Android Link)



Zlink Application

iPhone

Wireless Apple CarPlay



1. Turn on 'Background Connection' from settings on Zlink screen.
2. Connect Bluetooth to your iPhone (page 17).
3. CarPlay will be connected automatically in a few seconds.

Wired Apple CarPlay



1. Connect your iPhone to this device via USB cable.
2. Connect Bluetooth to your iPhone (page 17).
3. CarPlay will be connected automatically in a few seconds.

Tips: Once Apple CarPlay is connected, you can use voice recognition by holding the button 

NOTES:


- If an Apple CarPlay device has been connected and another screen is displayed, touch [Zlink] to display the CarPlay screen.
- Hands-free phoning via Bluetooth is not available while Apple CarPlay is on.

Zlink Application

Wireless iPhone Mirroring




Please complete the following operations



1. Turn on your iPhone's Hotspot and allow others to join it.
2. Connect WiFi to your iPhone's Hotspot (Page 20).
3. Select zj-airplay for Screen Mirroring.

Wired iPhone Mirroring




1. Switch to Wired Mirroring screen.
2. Connect Bluetooth to your iPhone (page 17).
3. Select zj-airplay for Screen Mirroring.

Zlink Application

Android

Wireless Android Auto



1. Turn on 'Background Connection' from settings on Zlink screen.
2. Connect Bluetooth to your Android phone (page 17).
3. Android Auto will be connected automatically in a few seconds.

Wired Android Auto



1. Connect your Android Phone to this device via USB cable.
2. Connect Bluetooth to your Android phone (page 17).
3. Android Auto will be connected automatically in a few seconds.

Tips: You can use voice recognition function by long touching button once Android Auto is activated.




Zlink Application

Wireless Android Link




1.Scan the QR code to download the APP.




- 2.Connect Bluetooth to your Android phone(page 17).
- 3.Turn on your phone's Hotpot and allow others to Join it.
- 4.Connect WiFi to your phone's Hotpot(Page 20).
- 5.Turn on the downloaded APP.
- 6.Select wireless connection.
- 7.Start Mirroring.

Zlink Application

Wired Android Link



1.Scan the QR code to download the APP.



2.Switch to Wired Mirroring screen.




3.Connect Bluetooth to your Android phone(page 17).

4.Turn on the downloaded APP.

5.Select wired connection.

6.Start Mirroring.


Product Settings



Network & internet	Wi-Fi connection(page 19) Mobile network settings Hotpot & tethering settings(page 20)
Apps & notifications	You can view a list of installed applications, delete applications, and received notifications
Display	Fond size settings
Storage	You can check the storage information of the device
Accounts	You can add or remove accounts on Android
Google	Add Gooogle account
System	Date & Time settings GPS sync time Time Zone (The time zone can be adjusted automatically from the location information) Time Format (Time format can be adjusted manually. 24-hour display or 12-hour display) Language Settings (30 languages in total) Keyboard Settings
About Car Devices	You can check the device version and other information

CarSetting

General settings



General

Parking	Not Applicable
Key illumination	Turn ON - Switch to night mode automatically once it detects the headlights are on(Default ON)
Beep	Keying silence or keying tone
Reverse Mirror	You can set the back screen as a normal image or a mirror image
Reverse Mute	Mute or Unmute the music when reversing
Assistive Touch	Turn on to add a virtual home button on the screen
Touch the dot to trigger the left button	Put the home button on left of the screen
Picture in Picture	Turn On/OFF picture in picture
Video Hintergrundwiedergabe	Turn On to allow continue playing the video when you switch to another screen
Car Amplifier	Turn on to use your car amplifier
USB Sharing Network	Set up to allow USB share network

CarSetting

Navi software settings

Start navigation automatically after system on	Set up to automatically startup of the navigation software every time boot up.
Navi software settings	Set up the default navigation app. (Factory default app is 'Maps')
Navigation mixing	Turn On/OFF navigation mixing
Sound mixing	You can adjust the sound mixing
Media volume	You can adjust the media volume
Navigation volume	You can adjust the navigation volume

Brightness	Brightness settings
Radio Region	Set up the receiving area of the radio. The default area is 'Europe'



Default settings

Default Volume	Set up the default volume every time boot up
Default Theme	If you like the factory theme, please always select 'System Theme'
Inter connection Settings	Please always select 'CarPlay', otherwise it can't communicate with your phone

Key Light	You can set up the key light color 8 colors available for choice
Whitelist Settings	Add Apps to whitelist
Desktop Settings	If you like the factory desktop, please always select 'System Theme'

CarSetting

System settings




System info	You can check the software version information of the product.
Factory Reset	You can factory reset the device information Note: Reset password is: 1234
System Update	Not Applicable Please contact customer service if any update needed
Factory Settings	You can set up factory settings here, please click 'Save' in the upper right corner after settings, otherwise it can't be saved. Note: Settings password is: 16176699

Network Settings

3 Ways to access the Internet


USB Network	1.Connect your phone to this device via USB cable. 2.Turn On 'USB Sharing Network' (CarSetting-General Settings-USB Sharing Network) 3.Network available
Personal Hotspot Network	1.Connect WiFi to your phone's hotspot 2.Network available
SIM Card Network	1.Install a SIM card into the SIM card holder (Page 14) 2.Restart the device 3.Network available

EQ (Equalizer Settings)



	Click to save your custom sound effects
	Reset each time
	Customize the equalizer
	Slide left and right to select existing sound effects Classical, Jazz, Popular, Rock, Standard, Custom
	Select the saved custom sound effects
	You can set up the time correction function of the speaker You can set up the front/back/left/right balance of the speaker


UI Style (User Interface Settings)



Slide left and right to select one you like and save it.
There are 11 themes in total

SW Learning

Steering Wheel Control Setting



- 1.Touch 'Start'
- 2.Long press a key on the steering wheel
- 3.Press the corresponding function button on the learning screen
- 4.Press 'End' The key function on the steering wheel is activated

Other Functions

	Touch to restart the device
	Touch to turn off the screen
	Touch to enter the screen saver
	Invalid
	Invalid (Need to add can box)
	Invalid (Need to add can box)
	You can download applications here

Trouble Shooting

■ Bluetooth is connected, but cannot sync with the phone.

- ▶ Please make sure you have plugged the WiFi and Bluetooth antenna(together with the backup camera cable harness), please see page 12 for details.

■ The ZLINK5 app has been deleted...

- ▶ You can find the APK of ZLINK5 from [ALL APP - File Manager - APK], then install it.

■ Settings and time cannot be saved.

- ▶ Please make sure the yellow wire 'B+Battery' is well connected to the power fuse.

■ Will the car battery be drained out with this product powered ON all the time?

- ▶ The standby current of the product is 3mA, which will not drain out the battery.
If you do worry, you can turn OFF the standby mode from 'Factory setting'.
Then it will not use any battery power while parking. ['CarSetting' - 'System Settings' - 'Factory Setting' - 'Enter password 16176699' - 'Customized Setting' - 'Sleep power off']

■ The power does not turn on or does not work.

- ▶ The fuse may be blown. Solve the cause of blown fuse and Replace the fuse with a fuse of the same capacity.
- ▶ The power cable may not be connected properly. Is the connection cable correct? Please check if it is connected.

■ The system is unstable, the screen stops, or freezes.

- ▶ Use a Needle to click 'RST' button in the lower right corner of the panel to reset the device.
The device will restart if resetting.

■ There is no sound.

- ▶ Audio volume is set to 0. Please adjust the volume.
- ▶ Poor wiring connection with the speaker, please check the wiring connection again.

■ There is no sound from the front/rear/left/right speakers.

- ▶ Adjusting the front/rear/left/right volume balance is not appropriate.
Correct fader balance setting.
- ▶ Speaker wiring contact failure, please reconnect.

■ There is a lot of 'jeezy, sizzle' noise during radio reception.

- ▶ Please move to a location where the signal is good.
- ▶ Poor reception due to obstructions in the surrounding area. Move when reception is stable.

■ Auto tuning is not possible.

- ▶ It is possible that there are no stations with strong radio waves. Please tune in manually.

■ FM can be received, but AM cannot be received. Poor reception sensitivity.

- ▶ Car antenna may not be extended. Please fully extend the antenna.
- ▶ Please check the antenna control cable is connected correctly.

Trouble Shooting

■ No 4G signal after inserting the SIM card.

► Please restart the device after inserting the SIM card.

■ FM is always displayed at the top right corner of the Launcher homepage, even if DAB radio is active.

► DAB is a third-party source, it can't be displayed on the launcher homepage. When music is active, the music will display at top right.

■ Can Android phones transfer files directly to the device?

► Yes, you can use an Android phone to transfer files(pictures, music, videos, APPs) to this device via Bluetooth directly.

■ Which kind of SIM card can be inserted?


► A Nano SIM card is acceptable, please use the included card holder to insert it, please reach service07@urvolax.cn if you need help with SIM inserting.

■ Where I can turn ON Android auto/Apple carplay?

► Go to 'ZLINK5' APP.


■ How to change NTSC to PAL?

► Please long touch the rear view display and select as below.



■ Why does the camera display show 'no signal'?

► Please long touch the rear view display and select as below.



Warranty Activate&Customer Support Contacts



Scan for 1-Year Warranty

We offer 1-year warranty and lifetime technical support for this product .

Please scan the QR code above to activate the 1-year warranty within 2 WEEKS upon product receipt.

Should you have any general or technical questions about this product, please feel free to contact us as following:

CUSTOMER SUPPORT

Email: service07@urvolax.cn

Company TEL:(0086)769 2198 6525